

129S.129-Lrp5^{tm1Grw/J}

Stock No: 012668

Protocol 31920: Probe Assay - Generic LacZ Probe

Version 5.0

Notes

The genotyping protocol(s) presented here have been optimized for reagents and conditions used by The Jackson Laboratory (JAX). To genotype animals, JAX recommends researchers validate the assay independently upon receipt of animals into their facility. Reaction cycling temperature and times may require additional optimization based on the specific genotyping reagents used.

Expected Results

JAX Protocol

Protocol Primers

PRIMER	5' LABEL	SEQUENCE 5' → 3'	3' LABEL	PRIMER TYPE	REACTION	NOTE
37301		GTT TAT GCA GCA ACG AGA CG		Transgene Reverse	A	
37302	Fluorophore-1	CAG GAT ATG TGG CGG ATG AGC	Quencher-1	Tg Probe		
mom0095		TGA CGG CAG TTA TCT GGA AG		Transgene Forward	A	
oIMR1544		CAC GTG GGC TCC AGC ATT		Internal Positive Control Forward	A	
oIMR3580		TCA CCA GTC ATT TCT GCC TTT G		Internal Positive Control Reverse	A	
TmoIMR0105	Fluorophore-2	CCA ATG GTC GGG CAC TGC TCA A	Quencher-2	IC Probe		

Reaction A

COMPONENT	FINAL CONCENTRATION
Kapa Probe Fast QPCR	1.00 X
ddH2O	
37301	0.40 uM
mom0095	0.40 uM
oIMR1544	0.40 uM
Wt Probe	0.15 uM
Mutant Probe	0.15 uM
DNA	

Cycling

STEP	TEMP °C	TIME	NOTE
1	95.0	--	
2	95.0	--	
3	60.0	--	
4		--	repeat steps 2-3 for 40 cycles
5	4.0	--	Forever

JAX uses a very high speed Taq (~1000 bp/sec), use cycling times recommended for your reagents.

Endpoint Fluorescence Scatter Plot

