

B6;SJL-Tg(Thy1-COP3/EYFP)8Gfng/J

Stock No: **012348**

 **Transgenic**

Typically mice are recovered in 10-14 weeks. Contact Customer Service to place an order or for more information.

PLACE ORDER

[Email](#) [Download PDF](#) [Help](#)

mice can be used for *in vivo* optogenetic studies to map neural circuit connectivity and spatial distribution of neurons by addition or removal of light.

Donating Investigator

Guoping Feng, Massachusetts Institute of Technology

READ MORE +

GENETIC OVERVIEW

Genetic Background

Generation

Tg(Thy1-COP3/EYFP)8Gfng

Alele Type

Transgenic (Reporter)

VIEW GENETICS

RESEARCH APPLICATIONS

Research Tools

Neurobiology Research

Sensorineural Research

VIEW ALL RESEARCH APPLICATIONS

BASE PRICE

Starting at:

\$2,854.50 Domestic price Cryo Recovery

V I E W P R I C E L I S T

Details

Detailed Description

Mice hemizygous for the Thy1-VChR1-EYFP transgene are viable and fertile with expression of the VChR1-EYFP fusion protein directed to neural cells by the modified murine *Thy1* promoter region.

Thy1-VChR1-EYFP mice derived from founder line 8 (Thy1-VChR1-EYFP line 8) exhibit high VChR1-EYFP expression in multiple regions of the brain, including cerebral cortex (layer 5 pyramidal neurons but not layer 3/5 interneurons), hippocampus (CA1, dentate gyrus and subiculum), amygdala, thalamus (laterodorsal thalamic nuclei), midbrain (superior colliculus), cerebellum (cerebellar nuclei and Purkinje layer), and pons (motor trigeminal, pontine and reticulotegmental nucleus). Moderate VChR1-EYFP expression levels are observed in CA3 of the hippocampus, ventral posteromedial thalamic nuclei, inferior colliculus and substantia nigra pars reticular of the midbrain and facial motor nucleus of the pons.

The VChR1-EYFP fusion protein is efficiently targeted to the plasma membrane and is largely free of unwanted aggregation/retention within the endoplasmic reticulum (some intracellular VChR1 aggregation is reported within the lateroposterior thalamic nuclei). Photoactivation is more effective with age at least out to 23 days of age. This age-dependent increase in the degree of photoactivation presumably results from higher levels of VChR1 expression during this time.

Photocurrents induce sufficient depolarization to fire action potentials in layer 5 pyramidal cell cortical slices from both Thy1-vChR1-EYFP line 8 (Stock No. [012348](#)) and Thy1-vChR1-EYFP line 4 (Stock No. [012344](#)), these cells were more readily photostimulated in Thy1-vChR1-EYFP line 8.

These Thy1-VChR1-EYFP line 8 transgenic mice may be useful for rapid control of motor behavior by addition or removal of light, for *ex vivo* and *in vivo* mapping of neural circuit connectivity and spatial distribution of neurons following illumination, or for fluorescent labeling of neural tissues.

The VChR1-EYFP fusion protein is composed of a synthetic, mammalian codon-optimized, red-shifted channelrhodopsin-1 derived from *Volvox carteri* (VChR1) fused in-frame with an enhanced yellow fluorescent protein (EYFP). Compared with ChR2, VChR1 is more light-sensitive and has a markedly (~70 nm) red-shifted action spectrum with a maximum at ~535 nm (green light). While VChR1 is quite effective in depolarizing and firing pyramidal neurons, its slow deactivation kinetics limit the ability to precisely control the timing of action potential firing. To accommodate the slower deactivation kinetics of VChR1, the time interval between photostimuli should be set to allow time for responses to fully recover between stimuli.

The bacterial opsins are retinal-binding proteins that provide light-dependent ion transport and sensory functions to a family of halophilic bacteria; and this VChR1 functions as a green light-driven cation channel that depolarizes the cell and causes action potentials. As such, illumination of VChR1-expressing neurons leads to rapid and reversible photostimulation of action potential firing/neural activity in these cells.

This optogenetic strain is one of many from the same transgene creator/donating investigator with light-inducible neurobiology applications; including
Thy1-ChR2-YFP line 18 (Stock No. [007612](#)),
Thy1-ChR2-YFP line 9 (Stock No. [007615](#)),
Thy1-eNpHR-YFP line 2 (Stock No. [012332](#)),
Thy1-eNpHR-YFP line 4 (Stock No. [012334](#)),
Thy1-vChR1-YFP line 1 (Stock No. [012341](#)),
Thy1-vChR1-YFP line 4 (Stock No. [012344](#)),

Thy1-mhChR2-YFP Line 20 (Stock No. [012350](#)),
Prv-mhChR2-YFP Line 15 (Stock No. [012355](#)),
ChAT-ChR2-YFP line 5 (Stock No. [014545](#)),
ChAT-ChR2-YFP line 6 (Stock No. [014546](#)),
VGAT-ChR2-YFP line 8 (Stock No. [014548](#)),
and TpH2-ChR2-YFP line 5 (Stock No. [014555](#)).

[+ Development](#)

[+ Expression Data](#)

[+ Control Suggestions](#)

[- Genetics](#)

[+ Tg\(Thy1-COP3/EYFP\)8Gfng](#)

[- Disease/Phenotype](#)

[+ Disease Terms](#)

[+ Research Areas By Phenotype](#)

[+ Mammalian Phenotype Terms by Genotype](#)

[+ References](#)

[- Technical Support](#)

C O N T A C T T E C H N I C A L S U P P O R T

Genotyping Protocols
Standard PCR:[Tg\(Thy1-COP3/EYFP\)](#)
[Genotyping resources and troubleshooting](#)

Breeding Considerations

When maintaining a live colony, hemizygous mice may be bred with wildtype (noncarrier) mice from the colony or with B6SJLF1/J mice (Stock No. [100012](#)).

Additional Breeding and Husbandry Support

Citation

When using the B6;SJL-Tg(Thy1-COP3/EYFP)8Gfng/J mouse strain in a publication, please [cite the originating article\(s\)](#) and include JAX stock #012348 in your Materials and Methods section.

Animal Health Reports

[Facility Barrier Level Descriptions](#)

Production of mice from cryopreserved embryos or sperm occurs in a maximum barrier room, [G200](#)

🔴 Pricing & Availability



Cryo
Recovery

Typically mice are recovered in 10-14 weeks. Contact Customer Service to place an order or for more information.

Domestic | International

Pricing effective for USA, Canada and Mexico shipping destinations

CRYORECOVERY - DOMESTIC PRICING

SERVICE/PRODUCT	DESCRIPTION	PRICE
Cryo Recovery	Hemizygous or non carrier for Tg(Thy1-COP3/EYFP)8Gfng	\$2,854.50

RELATED PRODUCTS AND SERVICES

Frozen Mouse Embryo	B6;SJL-Tg(Thy1-COP3/EYFP)8Gfng/J Frozen Embryo	\$2595.00
-------------------------------------	--	-----------

PAYMENT TERMS AND CONDITIONS

Terms are granted by individual review and stated on the customer invoice(s) and account statement. These transactions are payable in U.S. currency within the granted terms. Payment for services, products, shipping containers, and shipping costs that are rendered are expected within the payment terms indicated on the invoice or stated by contract. Invoices and account balances in arrears of stated terms may result in The Jackson Laboratory pursuing collection activities including but not limited to outside agencies and court filings.

THE JACKSON LABORATORY'S GENOTYPE PROMISE

The Jackson Laboratory has rigorous genetic quality control and mutant gene genotyping programs to ensure the genetic background of JAX® Mice strains as well as the genotypes of strains with identified molecular mutations. JAX® Mice strains are only made available to researchers after meeting our standards. However, the phenotype of each strain may not be fully

characterized and/or captured in the strain data sheets. **Therefore, we cannot guarantee a strain's phenotype will meet all expectations.** To ensure that JAX® Mice will meet the needs of individual research projects or when requesting a strain that is new to your research, we suggest ordering and performing tests on a small number of mice to determine suitability for your particular project. We do not guarantee [breeding performance](#) and therefore suggest that investigators order more than one breeding pair to avoid delays in their research.

Terms Of Use

TERMS OF USE

[General Terms and Conditions](#)

Q U E S T I O N S A B O U T T E R M S O F U S E

LICENSING INFORMATION

Phone: 207-288-6470

Email: TechTran@jax.org

JAX® Mice, Products & Services Conditions of Use

"MICE" means mouse strains, their progeny derived by inbreeding or crossbreeding, unmodified derivatives from mouse strains or their progeny supplied by The Jackson Laboratory ("JACKSON"). "PRODUCT(S)" means biological materials supplied by JACKSON, and their derivatives. "SERVICES" means projects conducted by JACKSON for other parties that may include but are not limited to the use of MICE or PRODUCTS. "RECIPIENT" means each recipient of MICE, PRODUCTS, or SERVICES provided by JACKSON including each institution, its employees and other researchers under its control. MICE or PRODUCTS shall not be: (i) used for any purpose other than internal research, (ii) sold or otherwise provided to any third party for any use, or (iii) provided to any agent or other third party to provide breeding or other services. Acceptance of MICE, PRODUCTS or SERVICES from JACKSON shall be deemed as agreement by RECIPIENT to these conditions, and departure from these conditions requires JACKSON's prior written authorization.

No Warranty

MICE, PRODUCTS AND SERVICES ARE PROVIDED "AS IS". JACKSON EXTENDS NO WARRANTIES OF ANY KIND, EITHER EXPRESS, IMPLIED, OR STATUTORY, WITH RESPECT TO MICE, PRODUCTS OR SERVICES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF NON-INFRINGEMENT OF ANY PATENT, TRADEMARK, OR OTHER INTELLECTUAL PROPERTY RIGHTS.

Credit for PRODUCTS or SERVICES

In case of dissatisfaction for a valid reason and claimed in writing by a purchaser within ninety (90) days of receipt of, PRODUCTS or SERVICES, JACKSON will, at its option, provide credit or replacement for the PRODUCT received or the SERVICES provided; JACKSON makes no other representations and this shall be the exclusive remedy of the purchaser. [Please note specific policy for live mice.](#)

Animal Care and Use for SERVICES

Consistent with the requirement for a written understanding regarding animal care and use, the JACKSON Animal Care and Use Committee will review the animal care and use protocol(s) associated with any SERVICES to be performed at JACKSON, and JACKSON shall have ultimate responsibility and authority for the care of animals while on site or in JACKSON custody.

No Liability

In no event shall JACKSON, its trustees, directors, officers, employees, and affiliates be liable for any causes of action or damages, including any direct, indirect, special, or consequential damages, arising out of the provision of MICE, PRODUCTS, or SERVICES, including economic damage or injury to property and lost profits, and including any damage arising from acts or negligence on the part of JACKSON, its agents or employees. Unless prohibited by law, in purchasing or receiving MICE, PRODUCTS, or SERVICES from JACKSON, purchaser or recipient, or any party claiming by or through them, expressly releases and discharges JACKSON from all such causes of action or damages, and further agrees to defend and indemnify JACKSON from any costs or damages arising out of any third party claims.

MICE, PRODUCTS or SERVICES are to be used in a safe manner and in accordance with all applicable governmental rules and regulations.

The foregoing represents the General Terms and Conditions applicable to JACKSON's MICE, PRODUCTS or SERVICES. In addition, special terms and conditions of sale of certain MICE, PRODUCTS, or SERVICES may be set forth separately in JACKSON web pages, catalogs, price lists, contracts, and/or other documents, and these special terms and conditions shall also govern the sale of these MICE, PRODUCTS and SERVICES by JACKSON, and by its licensees and distributors.

Acceptance of delivery of MICE, PRODUCTS or SERVICES shall be deemed agreement to these terms and conditions. No purchase order or other document transmitted by purchaser or recipient that may modify the terms and conditions hereof, shall be in any way binding on JACKSON, and instead the terms and conditions set forth herein, including any special terms and conditions set forth separately, shall govern the sale of MICE, PRODUCTS or SERVICES by JACKSON.

☰ Related Strains

All

By Allele

By Gene

By Collection

All Related Strains




DO YOU NEED BALB/c MICE?

Rely on JAX to provide the models you need, when you need them.

LEARN MORE



 CONTACT

 DONATE

 SUBSCRIBE

[JAX HOME](#) [CAREERS](#) [PRIVACY POLICY](#) [TERMS OF USE](#)

[RESEARCH CENTERS](#) [MOUSE GENOME INFORMATICS](#)


[MOUSE PHENOME DATABASE](#)

Leading the search for

TOMORROW'S CURES



©2020 THE JACKSON LABORATORY

Choose other country or region 

[^](#) [E](#) [F](#) [E](#) [D](#) [B](#)

Did you find what you were looking for?

Yes No