

STOCK *Igs2*^{tm1(ACTB-EGFP,-tdTomato)Zng} /J
 Stock No: **022976** | GT11ML (MADM-ML-11^{GT})

 Targeted Mutation

Typically mice are recovered in 10-14 weeks. Contact Customer Service to place an order or for more information.

PLACE ORDER

[Email](#) [Download PDF](#) [Help](#)

approach of the original MADM designs, the multiple self-recognizing *lox* variant sites present in the MADM-ML system result in significantly improved recombination efficiency (4-8 fold higher) with no negative impact on G2-X segregation percentage (G2-X segregation produces the desired fluorescent homozygous mutant daughter cells). This MADM-ML system allows Cre recombinase-induced fluorescent labeling of daughter cells to ascertain lineal relationships and pleiotropic gene function in multicellular organisms. These mice may also be useful in studies of cell differentiation, mitosis, and imprinting.

Donating Investigator

Hui Zong, University of Virginia School of Medicine

READ MORE +

GENETIC OVERVIEW

Genetic Background Generation

Igs2^{tm1(ACTB-EGFP,-tdTomato)Zng}

Alele Type	Gene Symbol	Gene Name
Targeted (Reporter, Null/Knockout)	<i>Igs2</i>	intergenic site 2

VIEW GENETICS

RESEARCH APPLICATIONS

Cell Biology Research
 Neurobiology Research
 Research Tools

BASE PRICE

Starting at:

\$2,854.50 Domestic price Cryo Recovery

VIEW PRICE LIST

Details

Detailed Description

Homozygous GT11ML (MADM-ML-11^{GT}) mice are viable and fertile with no gross behavioral or observable abnormalities. The GT11ML allele has the CMV enhancer/chicken beta-actin core promoter, the N-terminal portion of mut4-EGFP, a beta-globin intronic sequence (containing *frt-lox5171-lox2272-frt-loxP-Neo-loxP*), and the MYC-tagged C-terminal portion of tdTomato, all inserted into the *Hipp11* locus near the centromere of chromosome 11 (cytoband A1 at ~3cM between the *Eif4enif1* and *Drg1* loci).

These GT11ML mutants are designed for MADM (mosaic analysis with double markers), and must be crossed to TG11ML mice harboring a reciprocal mutation at the same locus (Stock No. [022977](#)). The resulting GT11/TG11 offspring have one copy of each reciprocal mutation on homologous chromosomes ("trans-heterozygous"), and must also be bred to harbor a Cre- or FLP-recombinase to induce fluorescent protein expression. Prior to Cre- or FLP-recombination, trans-heterozygous mutant mice do not have colored cells: the chimeric genes do not produce functional proteins because their coding sequences are interrupted by the beta-globin intron in different reading frames. After DNA replication (G2 phase) in double mutant mice, introduction of Cre- or FLP-recombinase that facilitates inter-chromosomal recombination aligns the respective N- and C-terminal coding sequences for each of the reporter genes on the same chromosome. The subsequent chromatid segregation (X or Z) determines daughter cell phenotype: recombinant sister chromatids into the same daughter cell (a G2-Z event) leads to double reporter expression or no reporter expression, while independent segregation into separate daughter cells (a G2-X event) leads to expression of either EGFP or tdTomato-MYC. If an additional targeted mutation of interest is introduced distal to the MADM-11 (*Hipp11*) locus on chromosome 11, only homozygous cells will be singly labeled following G2 cre or FLP introduction. The homozygous mutant and wildtype cells can then be distinguished by which single reporter they express. Most heterozygous cells will be unlabeled, but some heterozygous cells will be yellow (both markers expressed). Reporter protein tissue specificity, expression levels, and frequency of recombination are thus determined by the promoter controlling Cre- or FLP-recombinase expression. Using this MADM system, a researcher can generate genetic mosaics in which an individual organism contains somatic cells of different genotypes. This allows the researcher to ascertain lineal relationships and pleiotropic gene function in multicellular organisms. These mice may also be useful in studies of studies of cell differentiation, mitosis, and imprinting.

Other important features of the MADM-ML-11 system are listed below:

Compared to the single *loxP* approach of the original MADM-11 designs (MADM-11^{GT} [Stock No. [013749](#)] and MADM-11^{TG} [Stock No. [013751](#)]), the multiple self-recognizing *lox* variant sites present in the MADM-ML-11 system result in significantly improved recombination efficiency (4-8 fold higher) with no negative impact on G2-X segregation percentage (G2-X segregation produces the desired fluorescent homozygous mutant daughter cells). Because of its placement ~3 kbp from the centromere, MADM-ML-11 allows >99% of genes on chromosome 11 to be subjected to MADM-based mosaic analyses. Cre- or FLP-recombinase introduction in cell phase G0 or G1 results in double reporter expression. Similar to the MADM-11 design, MADM-ML-11 allows direct fluorescent visualization of both EGFP and tdTomato in live animals/cells: permitting genotypes of distinctly labeled cells in mosaic animals to be unequivocally determined prior to fixation and/or immunostaining. Also, MADM-ML-11 contains multiple *lox* sites and two *frt* sites; allowing the induction of MADM-labeling by either Cre recombinase or FLP recombinase.

The donating investigator (Dr. Hui Zong [University of Virginia]) and Dr. Liqun Luo (Stanford University/HHMI) have several mice available with MADM applications on different chromosomes:

On chromosome 6, the *Gt(ROSA)26Sor* knockin mutations include MADM-6^{GR} (Stock Nos. [006041](#) / [006075](#)), MADM-6^{RG}

(Stock Nos. [006067](#) / [006080](#)), MADM-6^{U3} (Stock Nos. [006053](#) / [006071](#)), R26^{U1} (Stock No. [017912](#)), R26^{1U} (Stock No. [017921](#)), R26^{TT} (Stock No. [017922](#)), and R26^{G-tTA2} (Stock No. [017909](#)).

On chromosome 7, the centromeric insertions are MADM-7^{GT} (*Hipp7^{GT}*; Stock No. [021457](#)) and MADM-7^{TG} (*Hipp7^{TG}*; Stock No. [021458](#)).

On chromosome 10, the centromeric insertions are MADM-10^{GT} (*Miya10^{GT}*; Stock No. [017923](#)) and MADM-10^{TG} (*Miya10^{TG}*; Stock No. [017932](#)).

On chromosome 11, the centromeric insertions are the single *loxP* MADM-11^{GT} (*Hipp11^{GT}*; Stock No. [013749](#)), the single *loxP* MADM-11^{TG} (*Hipp11^{TG}*; Stock No. [013751](#)), the "multiple lox" GT11ML (MADM-ML-11^{GT}; Stock No. [022976](#)) and the "multiple lox" TG11ML (MADM-ML-11^{TG}; Stock No. [022977](#)).

On chromosome 12, the centromeric insertions are MADM-12^{GT} (*John12^{GT}*; Stock No. [021460](#)) and MADM-12^{TG} (*John12^{TG}*; Stock No. [021461](#)).

+ Development

+ Expression Data

+ Control Suggestions

+ Selected References

- Genetics

+ *Igs2^{tm1(ACTB-EGFP,-tdTomato)Zng}*

- Disease/Phenotype

+ Disease Terms

+ Research Areas By Phenotype

+ Mammalian Phenotype Terms by Genotype

+ References

- Technical Support

C O N T A C T T E C H N I C A L S U P P O R T

Genotyping Protocols

Separated PCR: [Igs2GT/TG Alternate2](#)

Standard PCR: [Generic Neo](#)

Probe: [Generic Neo](#)

Probe: [Igs2 GT Probe](#)

[Genotyping resources and troubleshooting](#)

Breeding Considerations

When maintaining a live colony, homozygous mice may be bred together. The Jackson Laboratory colony of GT11ML mice has shown black, grey and agouti coat colors to date (April 2015).

[Additional Breeding and Husbandry Support](#)

Citation

When using the GT11ML (MADM-ML-11^{GT}) mouse strain in a publication, please [cite the originating article\(s\)](#) and include JAX stock #022976 in your Materials and Methods section.

Animal Health Reports

[Facility Barrier Level Descriptions](#)

Production of mice from cryopreserved embryos or sperm occurs in a maximum barrier room, [G200](#)

🔍 Pricing & Availability



Cryo
Recovery

Typically mice are recovered in 10-14 weeks. Contact Customer Service to place an order or for more information.

Domestic International

Pricing effective for USA, Canada and Mexico shipping destinations

CRYORECOVERY - DOMESTIC PRICING

SERVICE/PRODUCT	DESCRIPTION	PRICE
Cryo Recovery	Heterozygous for Igs2<tm1(ACTB-EGFP,-tdTomato)Zng>	\$2,854.50

RELATED PRODUCTS AND SERVICES

Frozen Mouse Embryo	STOCK Igs2<tm1(ACTB-EGFP -tdTomato)Zng>/J Frozen Embryo	\$2595.00
-------------------------------------	---	-----------

PAYMENT TERMS AND CONDITIONS

Terms are granted by individual review and stated on the customer invoice(s) and account statement. These transactions are payable in U.S. currency within the granted terms. Payment for services, products, shipping containers, and shipping costs that are rendered are expected within the payment terms indicated on the invoice or stated by contract. Invoices and account

balances in arrears of stated terms may result in The Jackson Laboratory pursuing collection activities including but not limited to outside agencies and court filings.

THE JACKSON LABORATORY'S GENOTYPE PROMISE

The Jackson Laboratory has rigorous genetic quality control and mutant gene genotyping programs to ensure the genetic background of JAX® Mice strains as well as the genotypes of strains with identified molecular mutations. JAX® Mice strains are only made available to researchers after meeting our standards. However, the phenotype of each strain may not be fully characterized and/or captured in the strain data sheets. **Therefore, we cannot guarantee a strain's phenotype will meet all expectations.** To ensure that JAX® Mice will meet the needs of individual research projects or when requesting a strain that is new to your research, we suggest ordering and performing tests on a small number of mice to determine suitability for your particular project. We do not guarantee [breeding performance](#) and therefore suggest that investigators order more than one breeding pair to avoid delays in their research.

🔍 Terms Of Use

TERMS OF USE

[General Terms and Conditions](#)

Q U E S T I O N S A B O U T T E R M S O F U S E

LICENSING INFORMATION

Phone: 207-288-6470

Email: TechTran@jax.org

JAX® Mice, Products & Services Conditions of Use

"MICE" means mouse strains, their progeny derived by inbreeding or crossbreeding, unmodified derivatives from mouse strains or their progeny supplied by The Jackson Laboratory ("JACKSON"). "PRODUCT(S)" means biological materials supplied by JACKSON, and their derivatives. "SERVICES" means projects conducted by JACKSON for other parties that may include but are not limited to the use of MICE or PRODUCTS. "RECIPIENT" means each recipient of MICE, PRODUCTS, or SERVICES provided by JACKSON including each institution, its employees and other researchers under its control. MICE or PRODUCTS shall not be: (i) used for any purpose other than internal research, (ii) sold or otherwise provided to any third party for any use, or (iii) provided to any agent or other third party to provide breeding or other services. Acceptance of MICE, PRODUCTS or SERVICES from JACKSON shall be deemed as agreement by RECIPIENT to these conditions, and departure from these conditions requires JACKSON's prior written authorization.

No Warranty

MICE, PRODUCTS AND SERVICES ARE PROVIDED "AS IS". JACKSON EXTENDS NO WARRANTIES OF ANY KIND, EITHER EXPRESS, IMPLIED, OR STATUTORY, WITH RESPECT TO MICE, PRODUCTS OR SERVICES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF NON-INFRINGEMENT OF ANY PATENT, TRADEMARK, OR OTHER INTELLECTUAL PROPERTY RIGHTS.

Credit for PRODUCTS or SERVICES

In case of dissatisfaction for a valid reason and claimed in writing by a purchaser within ninety (90) days of receipt of, PRODUCTS or SERVICES, JACKSON will, at its option, provide credit or replacement for the PRODUCT received or the SERVICES provided; JACKSON makes no other representations and this shall be the exclusive remedy of the purchaser. [Please note specific policy for live mice.](#)

Animal Care and Use for SERVICES

Consistent with the requirement for a written understanding regarding animal care and use, the JACKSON Animal Care and Use Committee will review the animal care and use protocol(s) associated with any SERVICES to be performed at JACKSON, and JACKSON shall have ultimate responsibility and authority for the care of animals while on site or in JACKSON custody.

No Liability

In no event shall JACKSON, its trustees, directors, officers, employees, and affiliates be liable for any causes of action or damages, including any direct, indirect, special, or consequential damages, arising out of the provision of MICE, PRODUCTS, or SERVICES, including economic damage or injury to property and lost profits, and including any damage arising from acts or negligence on the part of JACKSON, its agents or employees. Unless prohibited by law, in purchasing or receiving MICE, PRODUCTS, or SERVICES from JACKSON, purchaser or recipient, or any party claiming by or through them, expressly releases and discharges JACKSON from all such causes of action or damages, and further agrees to defend and indemnify JACKSON from any costs or damages arising out of any third party claims.

MICE, PRODUCTS or SERVICES are to be used in a safe manner and in accordance with all applicable governmental rules and regulations.

The foregoing represents the General Terms and Conditions applicable to JACKSON's MICE, PRODUCTS or SERVICES. In addition, special terms and conditions of sale of certain MICE, PRODUCTS, or SERVICES may be set forth separately in JACKSON web pages, catalogs, price lists, contracts, and/or other documents, and these special terms and conditions shall also govern the sale of these MICE, PRODUCTS and SERVICES by JACKSON, and by its licensees and distributors.

Acceptance of delivery of MICE, PRODUCTS or SERVICES shall be deemed agreement to these terms and conditions. No purchase order or other document transmitted by purchaser or recipient that may modify the terms and conditions hereof, shall be in any way binding on JACKSON, and instead the terms and conditions set forth herein, including any special terms and conditions set forth separately, shall govern the sale of MICE, PRODUCTS or SERVICES by JACKSON.

Related Strains

All

By Allele

By Gene

By Collection

All Related Strains







DO YOU NEED BALB/c MICE?

Rely on JAX to provide the models you need, when you need them.

[LEARN MORE](#)



 CONTACT

 DONATE

 SUBSCRIBE

[JAX HOME](#) [CAREERS](#) [PRIVACY POLICY](#) [TERMS OF USE](#)

[RESEARCH CENTERS](#) [MOUSE GENOME INFORMATICS](#)


[MOUSE PHENOME DATABASE](#)

Leading the search for

TOMORROW'S CURES



©2020 THE JACKSON LABORATORY

Choose other country or region 

[^](#) [E](#) [E](#) [E](#) [D](#) [B](#)

Did you find what you were looking for?

Yes No